

Date Published: 18 January 2024



PLANNING COMMITTEE

18 JANUARY 2024

SUPPLEMENTARY PAPERS

TO: ALL MEMBERS OF THE PLANNING COMMITTEE

The following papers have been added to the agenda for the above meeting.

These were not available for publication with the rest of the agenda.

Kevin Gibbs
Executive Director: Delivery

Page No

Planning Applications

(Assistant Director: Planning)

**The conditions for public speaking have been met in the applications marked 'PS'.
For further information or to register for public speaking, please contact Customer
Services 01344 352000.**

This page is intentionally left blank

Agenda Annex

BRACKNELL FOREST BOROUGH COUNCIL
PLANNING COMMITTEE
18th January 2024
ADDENDUM TO SUPPLEMENTARY REPORT

Correspondence received and matters arising following preparation of the agenda.

Item No: 5

23/00095/FUL

Bracknell Ice Rink and Ski Centre John Nike Way Binfield Bracknell

IN ADDITION TO THE MATTERS REPORTED IN THE SUPPLEMENTARY REPORT CIRCULATED ON 17.01.2024, FURTHER AMENDMENT TO RECOMMENDATION IS PROPOSED:

Additional condition:

35. Operational noise levels shall not exceed a rating level ($L_{A_r,Tr}$) of greater than 5 dBA above the representative background noise level during either daytime or night time, as determined in line with BS 4142:2014+A1:2019, at 1 m from the nearest or most affected windows of any existing noise sensitive property.

Reason: To protect the amenities of existing and future occupiers from operational noise in accordance with Policies EN20 and EN25 of the BFBLP.

This page is intentionally left blank